

# .env

```
# This file, when named as ".env" in the root of your BookStack install
# folder, is used for the core configuration of the application.
# By default this file contains the most common required options but
# a full list of options can be found in the '.env.example.complete' file.

# NOTE: If any of your values contain a space or a hash you will need to
# wrap the entire value in quotes. (eg. MAIL_FROM_NAME="BookStack Mailer")

# Application key
# Used for encryption where needed.
# Run `php artisan key:generate` to generate a valid key.
APP_KEY==SomeRandomString

# Application URL
# This must be the root URL that you want to host BookStack on.
# All URLs in BookStack will be generated using this value
# to ensure URLs generated are consistent and secure.
# If you change this in the future you may need to run a command
# to update stored URLs in the database. Command example:
# php artisan bookstack:update-url https://old.example.com https://new.example.com
APP_URL=https://wiki.example.com

# Database details
DB_HOST=localhost
DB_DATABASE=basededatos
DB_USERNAME=basededatos_usuario
DB_PASSWORD="Contraseña super segura"

# Mail system to use
# Can be 'smtp' or 'sendmail'
MAIL_DRIVER=smtp

# Mail sender details
MAIL_FROM_NAME="BookStack"
MAIL_FROM=bookstack@example.com
```

```
# SMTP mail options
# These settings can be checked using the "Send a Test Email"
# feature found in the "Settings > Maintenance" area of the system.
# For more detailed documentation on mail options, refer to:
# https://www.bookstackapp.com/docs/admin/email-webhooks/#email-configuration
MAIL_HOST=smtp.gmail.com
MAIL_PORT=587
MAIL_USERNAME=correo@gmail.com
MAIL_PASSWORD="Contraseña de aplicación"
MAIL_ENCRYPTION=tls
```

---

Revision #1

Created 14 August 2024 19:20:09 by PabloMP

Updated 14 August 2024 19:23:15 by PabloMP